



WPC LOUVERS

XTERIOR LOUVERS



QUALITY WHAT YOU DESIRE



TEAK

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

ICETEAK

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

WALNUT

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

GREY

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

CLARION

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

CHARCOAL

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

IPE

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F4

ICETEA K

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F5

GREY

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F5

TEAK

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F5

ROSE RED

WIDTH: 220 MM

LENGTH: 2900 MM

THICKNESS: 26 MM

AREA/ PANEL: 6.867 SQFT

PALELS/ BOX: 5 PANEL / BOX

WEIGHT OF PANEL: 9 KG

F5



UV
RESISTANCE



MAINTENANCE &
PAINTING FREE






WEATHER PROOF



SUSTAINABLE
PRODUCT

INSTALLATION PROCEDURE




FINISHING PROFLES



EXTERNAL CORNER

This profile is used to cover outside corners. All profiles are available in solid and wooddecors



FINISHING PROFILE

This profile is used to cover start and ends of the cladding areas. All profiles are available in solid and wooddecors

